

CIBAADH.ST25\_US.txt  
SEQUENCE LISTING

<110> Stampfer, Wolfgang  
Kosjek, Birgit  
Kroutil, Wolfgang  
Faber, Kurt  
Niehaus, Frank  
Eck, Juergen

<120> Alcohol dehydrogenases with increased solvent and temperature stability

<130> HL/95-22634/CIP

<140>

<141>

<150> PCT/EP03/02439

<151> March 10, 2003

<160> 51

<170> PatentIn version 3.1

<210> 1

<211> 8

<212> PRT

<213> Rhodococcus ruber DSM 14855

<400> 1

Glu Val Gly Asp Ala Ala Ala Arg  
1 5

<210> 2

<211> 11

<212> PRT

<213> Rhodococcus ruber DSM 14855

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> X in position 3 is either leucine or isoleucine

<220>

<221> MISC\_FEATURE

<222> (9)..(9)

<223> X in position 9 is either leucine or isoleucine

CIBAADH.ST25\_US.txt

<400> 2

Thr Asp Xaa Phe Glu Val Val Ala Xaa Ala Arg  
1 5 10

<210> 3

<211> 10

<212> PRT

<213> Rhodococcus ruber DSM 14855

<220>

<221> MISC\_FEATURE

<222> (9)..(9)

<223> X in position 3 is either leucine or isoleucine

<400> 3

Ser Gly Ala Gly Ala Ala Asp Ala Xaa Arg  
1 5 10

<210> 4

<211> 10

<212> PRT

<213> Rhodococcus ruber DSM 14855

<220>

<221> MISC\_FEATURE

<222> (2)..(2)

<223> X in position 2 is either leucine or isoleucine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> X in position 6 is either leucine or isoleucine

<400> 4

Val Xaa Ala Val Asp Xaa Asp Asp Asp Glu  
1 5 10

<210> 5

<211> 12

<212> PRT

<213> Rhodococcus ruber DSM 14855

CIBAADH.ST25\_US.txt

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)  
 <223> X in position 2 is either leucine or isoleucine

<220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> X in position 6 is either leucine or isoleucine

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> X in position 10 is either leucine or isoleucine

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> X in position 10 is an unidentified amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> X in position 12 is an unidentified amino acid

<400> 5

Val Xaa Ala Val Asp Xaa Asp Asp Asp Xaa Arg Xaa  
 1 5 10

<210> 6  
 <211> 11  
 <212> PRT  
 <213> Rhodococcus ruber DSM 14855

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(2)  
 <223> XX in position 1,2 is either one of the sequences Thr-Asp or As  
 p-  
 Thr

<220>  
 <221> MISC\_FEATURE

CIBAADH.ST25\_US.txt

<222> (3)..(3)  
<223> X in position 3 is either leucine or isoleucine

<220>  
<221> MISC\_FEATURE  
<222> (9)..(9)  
<223> X in position 9 is either leucine or isoleucine

<400> 6

Xaa Xaa Xaa Met Glu Val Val Ala Xaa Ala Arg  
1 5 10

<210> 7  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (14)..(14)  
<223> n is a, g, c or t

<220>  
<221> misc\_feature  
<222> (17)..(17)  
<223> n is a, g, c or t

<400> 7  
cggagccggg cccnggnsar rt  
22

<210> 8  
<211> 27  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

CIBAADH.ST25\_US.txt

<220>  
<221> misc\_feature  
<222> (19)..(19)  
<223> n is a, g, c or t

<220>  
<221> misc\_feature  
<222> (22)..(22)  
<223> n is a, g, c or t

<220>  
<221> misc\_feature  
<222> (25)..(25)  
<223> n is a, g, c or t

<400> 8  
ctacgagctg ccgctgacny tnggnca  
27

<210> 9  
<211> 26  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (18)..(18)  
<223> n is a, g, c or t

<220>  
<221> misc\_feature  
<222> (24)..(24)  
<223> n is a, g, c or t

<400> 9  
gtcgtcgtct acggcccntg gggntg  
26

<210> 10

CIBAADH.ST25\_US.txt

```

<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence used as potential probe for identifying Rhodococcus ru
be
      r DSM 14855 alcohol dehydrogenase A gene

<220>
<221> misc_feature
<222> (21)..(21)
<223> n is a, g, c or t

<220>
<221> misc_feature
<222> (24)..(24)
<223> n is a, g, c or t

<400> 10
gacaacgtcg tcgtctacgg nccntgggg
29

<210> 11
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence used as potential probe for identifying Rhodococcus ru
be
      r DSM 14855 alcohol dehydrogenase A gene

<220>
<221> misc_feature
<222> (14)..(14)
<223> n is a, g, c or t

<220>
<221> misc_feature
<222> (17)..(17)
<223> n is a, g, c or t

<220>
<221> misc_feature
<222> (23)..(23)
<223> n is a, g, c or t

```

CIBAADH.ST25\_US.txt

<400> 11  
gcaccggcgg cctnggncay gtng  
24

<210> 12  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (20)..(20)  
<223> n is a, g, c or t

<220>  
<221> misc\_feature  
<222> (23)..(23)  
<223> n is a, g, c or t

<400> 12  
gctggtcgcc gacgaartcn arnac  
25

<210> 13  
<211> 27  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (19)..(19)  
<223> n is a, g, c or t

<400> 13  
catcagctcg gtgcggshnc cccarta

27

<210> 14  
<211> 26  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (18)..(18)  
<223> n is a, g, c or t

<220>  
<221> misc\_feature  
<222> (21)..(21)  
<223> n is a, g, c or t

<400> 14  
gccaggtcga cgacctcnrt narytc  
26

<210> 15  
<211> 26  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (3)..(3)  
<223> n is a, g, c or t

<220>  
<221> misc\_feature  
<222> (12)..(12)  
<223> n is a, g, c or t



<220>  
<221> misc\_feature  
<222> (18)..(18)  
<223> n is a, g, c or t

<220>  
<221> misc\_feature  
<222> (19)..(19)  
<223> n is a, g, c or t

<220>  
<221> misc\_feature  
<222> (20)..(20)  
<223> n is a, g, c or t

<220>  
<221> misc\_feature  
<222> (21)..(21)  
<223> n is a, g, c or t

<400> 15  
ggncacgarg gngtcggnnn ngtcgc  
26

<210> 16  
<211> 17  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (3)..(3)  
<223> n is a, g, c or t

<220>  
<221> misc\_feature  
<222> (12)..(12)  
<223> n is a, g, c or t

<400> 16

ggncacgarg gngtcgg

17

&lt;210&gt; 17

&lt;211&gt; 17

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Sequence used as potential probe for identifying Rhodococcus ruber DSM 14855 alcohol dehydrogenase A gene

&lt;220&gt;

&lt;221&gt; modified\_base

&lt;222&gt; (6)..(6)

&lt;223&gt; n here stands for inosine

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (3)..(3)

&lt;223&gt; n is a, g, c or t

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (6)..(6)

&lt;223&gt; n is here inosine

&lt;220&gt;

&lt;221&gt; modified\_base

&lt;222&gt; (9)..(9)

&lt;223&gt; n is here inosine

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (9)..(9)

&lt;223&gt; n is here inosine

&lt;220&gt;

&lt;221&gt; modified\_base

&lt;222&gt; (12)..(12)

&lt;223&gt; n is here inosine

&lt;220&gt;

&lt;221&gt; misc\_feature

<222> (12)..(12)  
<223> n is here inosine

<220>  
<221> modified\_base  
<222> (15)..(15)  
<223> n is here inosine

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> n here stands for inosine

<400> 17  
ccnytnacny tnggnca  
17

<210> 18  
<211> 17  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> modified\_base  
<222> (9)..(9)  
<223> in each case i stands for inosine

<220>  
<221> misc\_feature  
<222> (9)..(9)  
<223> n here stands for inosine

<220>  
<221> misc\_feature  
<222> (3)..(3)  
<223> n is a, g, c or t

<220>  
<221> modified\_base  
<222> (12)..(12)

<223> n here stands for inosine

<220>

<221> misc\_feature

<222> (12)..(12)

<223> n here stands for inosine

<400> 18

gtntayggnc cntgggg

17

<210> 19

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Sequence used as potential probe for identifying Rhodococcus ruber DSM 14855 alcohol dehydrogenase A gene

<220>

<221> modified\_base

<222> (9)..(9)

<223> n stands for inosine

<220>

<221> misc\_feature

<222> (9)..(9)

<223> n here stands for inosine

<220>

<221> modified\_base

<222> (15)..(15)

<223> n here stands for inosine

<220>

<221> misc\_feature

<222> (15)..(15)

<223> n here stands for inosine

<220>

<221> misc\_feature

<222> (3)..(3)

<223> n is a, g, c or t

CIBAADH.ST25\_US.txt

<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> n is a, g, c or t

<400> 19  
ccnytnacng aygcngg  
17

<210> 20  
<211> 17  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> modified\_base  
<222> (9)..(9)  
<223> n here stands for inosine

<220>  
<221> misc\_feature  
<222> (9)..(9)  
<223> n here stands for inosine

<220>  
<221> modified\_base  
<222> (12)..(12)  
<223> n here stands for inosine

<220>  
<221> misc\_feature  
<222> (12)..(12)  
<223> n here stands for inosine

<220>  
<221> modified\_base  
<222> (15)..(15)  
<223> n here stands for inosine

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> n here stands for inosine

<220>  
 <221> misc\_feature  
 <222> (3)..(3)  
 <223> n is a, g, c or t

<400> 20  
 ccngcrtcng tnarngg  
 17

<210> 21  
 <211> 17  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Sequence used as potential probe for identifying Rhodococcus ru  
 be  
 r DSM 14855 alcohol dehydrogenase A gene

<220>  
 <221> modified\_base  
 <222> (15)..(15)  
 <223> n here stands for inosine

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> n here stands for inosine

<220>  
 <221> misc\_feature  
 <222> (3)..(3)  
 <223> n is a, g, c or t

<220>  
 <221> misc\_feature  
 <222> (6)..(6)  
 <223> n is a, g, c or t

CIBAADH.ST25\_US.txt

<400> 21

cgngtncccc artangg

17

<210> 22

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Sequence used as potential probe for identifying Rhodococcus ruber DSM 14855 alcohol dehydrogenase A gene

<400> 22

atgaaagccc tccagtacac cg

22

<210> 23

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Sequence used as potential probe for identifying Rhodococcus ruber DSM 14855 alcohol dehydrogenase A gene

<400> 23

atgaargcsc tscartacac s

21

<210> 24

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Sequence used as potential probe for identifying Rhodococcus ruber DSM 14855 alcohol dehydrogenase A gene

<400> 24

tcagcccggg acgaccacc

19

<210> 25

<211> 19

CIBAADH.ST25\_US.txt

```

<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence used as potential probe for identifying Rhodococcus ru
be
      r DSM 14855 alcohol dehydrogenase A gene

<220>
<221> misc_feature
<222> (2)..(17)
<223> in each case n is, independently of the others, a, g, c or t

<400> 25
anccnggnac nacnacncc
19

<210> 26
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence used as potential probe for identifying Rhodococcus ru
be
      r DSM 14855 alcohol dehydrogenase A gene

<220>
<221> misc_feature
<222> (9)..(9)
<223> n is a, g, c or t

<400> 26
gtsatcgcn gtcgayctsga cgacgac
27

<210> 27
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence used as potential probe for identifying Rhodococcus ru
be
      r DSM 14855 alcohol dehydrogenase A gene

<220>
<221> misc_feature

```



CIBAADH.ST25\_US.txt

<222> (16)..(18)

<223> in each case, n is independently of the other a, g, c or t

<400> 27

gtcathgcs g tgcacntnga cgacga

26

<210> 28

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Sequence used as potential probe for identifying Rhodococcus ruber DSM 14855 alcohol dehydrogenase A gene

<220>

<221> modified\_base

<222> (12)..(12)

<223> n here stands for inosine

<220>

<221> misc\_feature

<222> (12)..(12)

<223> n here stands for inosine

<220>

<221> misc\_feature

<222> (3)..(6)

<223> n is in each case independently from the other a, g, c or t

<400> 28

gcngtngayy tngaygayga

20

<210> 29

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Sequence used as potential probe for identifying Rhodococcus ruber DSM 14855 alcohol dehydrogenase A gene

<400> 29  
gtcgatctcg acgacgaccg  
20

<210> 30  
<211> 27  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (19)..(19)  
<223> n is a, g, c or t

<400> 30  
gtcgtcgtcs agrtcgcacng cgatsac  
27

<210> 31  
<211> 26  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (9)..(11)  
<223> n in each case is independently from the other a, g, c or t

<400> 31  
tcgtcgtcna ngtcgacsgc datgac  
26

<210> 32  
<211> 20  
<212> DNA  
<213> Artificial Sequence

CIBAADH.ST25\_US.txt

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> modified\_base  
<222> (9)..(18)  
<223> here n in each case stands for inosine

<220>  
<221> misc\_feature  
<222> (9)..(18)  
<223> n here in each case stands for inosine

<400> 32  
tcrtrctcna nrtcnaacngc  
20

<210> 33  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<400> 33  
cgtcgctcgag atcgacggc  
19

<210> 34  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> n is a, g, c or t

CIBAADH.ST25\_US.txt

<400> 34  
gargtnggcg csgacgcs gc s  
21

<210> 35  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (3)..(9)  
<223> n in each case is independently from the other a, g, c or t

<400> 35  
ggngcsggng csgcsgacgc satc  
24

<210> 36  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (6)..(18)  
<223> n is in each case independent from the others a, g, c or t

<400> 36  
gargtnggng cngaygcngc  
20

<210> 37  
<211> 20  
<212> DNA  
<213> Artificial Sequence

CIBAADH.ST25\_US.txt

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> n is a, g, c or t

<400> 37  
gcsgcggtcsg cgccnacrtc  
20

<210> 38  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (3)..(15)  
<223> n is in each case independently from the others a, g, c or t

<400> 38  
gcngcrtcng cnccnacytc  
20

<210> 39  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (16)..(22)  
<223> n is in each case independently from the other a, g, c or t

CIBAADH.ST25\_US.txt

<400> 39  
gatsgcgtcs gcsgcnccsg cngg  
24

<210> 40  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<400> 40  
cgsgcsaggt csacsacgtc cat  
23

<210> 41  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> misc\_feature  
<222> (3)..(15)  
<223> n is in each case, independently from the others, a, g, c or t

<400> 41  
ggngcnggng cngcngaygc  
20

<210> 42  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

CIBAADH.ST25\_US.txt

<220>  
<221> misc\_feature  
<222> (6)..(18)  
<223> n is in each case independently from the others a, g, c or t

<400> 42  
gcrtcngcng cncncgncnc  
20

<210> 43  
<211> 14  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<400> 43  
gccgccccgg cgcc  
14

<210> 44  
<211> 17  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<220>  
<221> modified\_base  
<222> (9)..(15)  
<223> n here in each case stands for inosine

<220>  
<221> misc\_feature  
<222> (9)..(15)  
<223> n here in each case stands for inosine

<220>  
<221> misc\_feature  
<222> (3)..(6)

<223> n in each case independently from the other stands for a, g, c  
or  
t

<400> 44  
ckngcnarng cnacnac  
17

<210> 45  
<211> 26  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<400> 45  
cctgcgcgcg cggccgggag aactac  
26

<210> 46  
<211> 27  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Sequence used as potential probe for identifying Rhodococcus ru  
be  
r DSM 14855 alcohol dehydrogenase A gene

<400> 46  
caggatctgg atgccgacgt ggccgag  
27

<210> 47  
<211> 1038  
<212> DNA  
<213> Rhodococcus ruber DSM 14855

<400> 47  
atgaaagccg tccagtacac cgagatcggc tccgagccgg tcgttgctga catccccacc  
60

ccgacgcccc ggccgggtga gatactgctg aaggtcaccg cggccgggct gtgccactcg  
20

1



## CIBAADH.ST25\_US.txt

gacatcttcg tgatggacat gccggcggcg cagtacgcct acggcctgcc gctcacccctc 80	1
ggccacgagg gtgtcggcac cgtcgccgaa ctcggcgagg gcgtcacggg attcgggggtg 40	2
ggggacgccc tcgccgtgta cggggccgtgg ggctgcgggtg cgtgccacgc ctgcgcgcgc 00	3
ggccggggaga actactgcac ccgcgccgcc gacctgggca tcacgccacc cggctctggc 60	3
tcgcccggat cgatggccga gtacatgac gtcgattcgg cgcgccacct cgtcccgatc 20	4
ggagacctcg acccggtcgc cgcggcgccg ctcaccgacg ccggctctgac gccgtaccac 80	4
gcgatctccc gggtcctgcc gctgctgggg ccgggctcga cggccgtcgt catcggtgtc 40	5
ggcgggctcg gccacgtcgg catccagatc ctgcgcgcgc tcagcgcggc ccgtgtgatc 00	6
gccgtcgacc tcgacgacga ccgtctcgcc ctgcgccgcg aggtcggcgc cgacgcggcg 60	6
gtgaagtcgg gcgccggtgc ggcggacgcg atccgggaac tgaccggcgg ccagggcgcg 20	7
acggcggtgt tcgacttcgt cggcgcccag tcgacgatcg acacggcgca gcaggtggtc 80	7
gcggtcgacg ggcacatctc ggtcgtgggc atccacgccg gcgcacacgc caaggtcggg 40	8
ttcttcatga tcccgttcgg cgcctccgtc gtgaccccg actggggcac ccggtcggaa 00	9
ctgatggagg tcgtcgcgct ggcccgcgcc ggccggctgg acatccacac cgagacgttc 60	9
accctcgacg agggggccggc ggcgtaccgg cggctgcgcg agggcagcat ccgcggccgc 20	10
ggcgtggtgg ttccctga 38	10

<210> 48  
 <211> 345  
 <212> PRT

## CIBAADH.ST25\_US.txt

&lt;213&gt; Rhodococcus ruber DSM 14855

&lt;400&gt; 48

Met Lys Ala Val Gln Tyr Thr Glu Ile Gly Ser Glu Pro Val Val Val  
 1 5 10 15

Asp Ile Pro Thr Pro Thr Pro Gly Pro Gly Glu Ile Leu Leu Lys Val  
 20 25 30

Thr Ala Ala Gly Leu Cys His Ser Asp Ile Phe Val Met Asp Met Pro  
 35 40 45

Ala Ala Gln Tyr Ala Tyr Gly Leu Pro Leu Thr Leu Gly His Glu Gly  
 50 55 60

Val Gly Thr Val Ala Glu Leu Gly Glu Gly Val Thr Gly Phe Gly Val  
 65 70 75 80

Gly Asp Ala Val Ala Val Tyr Gly Pro Trp Gly Cys Gly Ala Cys His  
 85 90 95

Ala Cys Ala Arg Gly Arg Glu Asn Tyr Cys Thr Arg Ala Ala Asp Leu  
 100 105 110

Gly Ile Thr Pro Pro Gly Leu Gly Ser Pro Gly Ser Met Ala Glu Tyr  
 115 120 125

Met Ile Val Asp Ser Ala Arg His Leu Val Pro Ile Gly Asp Leu Asp  
 130 135 140

Pro Val Ala Ala Ala Pro Leu Thr Asp Ala Gly Leu Thr Pro Tyr His  
 145 150 155 160

Ala Ile Ser Arg Val Leu Pro Leu Leu Gly Pro Gly Ser Thr Ala Val  
 165 170 175

Val Ile Gly Val Gly Gly Leu Gly His Val Gly Ile Gln Ile Leu Arg  
 180 185 190

CIBAADH.ST25\_US.txt

Ala Val Ser Ala Ala Arg Val Ile Ala Val Asp Leu Asp Asp Asp Arg  
195 200 205

Leu Ala Leu Ala Arg Glu Val Gly Ala Asp Ala Ala Val Lys Ser Gly  
210 215 220

Ala Gly Ala Ala Asp Ala Ile Arg Glu Leu Thr Gly Gly Gln Gly Ala  
225 230 235 240

Thr Ala Val Phe Asp Phe Val Gly Ala Gln Ser Thr Ile Asp Thr Ala  
245 250 255

Gln Gln Val Val Ala Val Asp Gly His Ile Ser Val Val Gly Ile His  
260 265 270

Ala Gly Ala His Ala Lys Val Gly Phe Phe Met Ile Pro Phe Gly Ala  
275 280 285

Ser Val Val Thr Pro Tyr Trp Gly Thr Arg Ser Glu Leu Met Glu Val  
290 295 300

Val Ala Leu Ala Arg Ala Gly Arg Leu Asp Ile His Thr Glu Thr Phe  
305 310 315 320

Thr Leu Asp Glu Gly Pro Ala Ala Tyr Arg Arg Leu Arg Glu Gly Ser  
325 330 335

Ile Arg Gly Arg Gly Val Val Val Pro  
340 345

<210> 49  
<211> 10  
<212> PRT  
<213> Rhodococcus ruber

<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is leucine or isoleucine

<220>

CIBAADH.ST25\_US.txt

<221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa is leucine or isoleucine

<400> 49

Val Xaa Ala Val Asp Xaa Asp Asp Asp Arg  
 1 5 10

<210> 50  
 <211> 19  
 <212> PRT  
 <213> Rhodococcus ruber

<220>  
 <221> MISC\_FEATURE  
 <222> (18)..(18)  
 <223> Xaa is leucine or isoleucine

<400> 50

Glu Val Gly Ala Asp Ala Ala Val Lys Ser Gly Ala Gly Ala Ala Gly  
 1 5 10 15

Ala Xaa Arg

<210> 51  
 <211> 9  
 <212> PRT  
 <213> Rhodococcus ruber

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(1)  
 <223> Xaa is leucine or isoleucine

<220>  
 <221> MISC\_FEATURE  
 <222> (7)..(7)  
 <223> Xaa is leucine or isoleucine

<400> 51

Xaa Phe Glu Val Val Ala Xaa Ala Arg

CIBAADH.ST25\_US.txt

1

5